## **MMTC 2000 E**







In this version, the filter holder MMTC 2000 E is made of V2A in order to cover a higher temperature range.

## **BENEFITS**

- Internationally comparable measurement results thanks to the widespread use of the MMTC 2000 measurement system
- High reproducibility of the testing method
- Different dusts from real applications can be used
- Quick and easy adjustment of the raw gas concentration
- Simulation of the so-called garland effect
- Suitable for in-situ measurements
- Online measurements of the particle size and particle concentration with the light scattering spectrometer welas® digital
- MMTC 2000 EHF: This test rig can be heated to 250°C; the relative humidity can be set to levels up to 80% (at a temperature of 90°C).
- Lightweight, small, and mobile design
- Easy handling, easy cleaning
- Quick set-up time when changing the filter or test dust
- Validation of the clear function of individual components and the overall system during pre-delivery acceptance testing
- · Reliable operation
- Short set-up times, extremely low-maintenance
- The unit will reduce your operating costs

## **APPLICATIONS**

- Standardized test in accordance with VDI 3926
- Individual tests under close-to-real conditions as defined by the different process conditions, e.g., in the cement industry, wood-processing industry, pharmaceutical industry, chemical industry, nuclear power plants, and many other areas...

https://www.palas.de/product/mmtc2000e

Version: May 18, 2024 Page 1 of 2



## **DATASHEET**

Aerosols	Dusts (e. g. SAE dusts)	Test area of the medium	177 cm <sup>2</sup>
Volume flow	$1 - 5.5 \text{ m}^3/\text{h}$ (others on request, suction mode)	Power supply	120 – 230 V, 2A (single phase connection)
Differential pressure measurement	0 – 5,000 Pa	Inflow velocity	3 – 8.8 cm/s (others on request)
Compressed air supply	6 – 8 bar	Powder Disperser	RBG 2000 für nicht kohäsive Pulver und Stäube, z. B. Pu- ral NF, Pural SB, ISO A2 fine, ISO A4 coarse, verschiedene Arten von TiO2 und anderen Pulvern, Massenstrom: ca. 0,2 – 90 g/m³ (abhängig von Pul- vergröße und -dichte)
Valve opening times	50 – 500 ms	Pressure for pulse jet cleaning	Adjustable up to 6 barg
Dimensions	Approx. 1,200 • 630 • 1,700 mm (H • W • D)		